



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

TANEY

County Base Map

(Records are Sorted by Township, Range, and Section)

LOG ID:
028768

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1973/01/19	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	860FT
<u>DRILL DEPTH:</u>	445FT	21N	17W	11	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				517,292.30	4,041,066.10
<u>S.W.L. (BEFORE CASING):</u>	120				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	FT	<u>REMARKS:</u>	"3Mi. SE of Protem on Hwy. 125."			

LOG ID:
018465

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1959/08/05	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	813FT
<u>DRILL DEPTH:</u>	260FT	21N	18W	18	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	80FT				501,520.29	4,039,729.18
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	ZONE 15			
<u>S.W.L. (AFTER CASING):</u>	185					

LOG ID:
017997

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1959//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	896FT
<u>DRILL DEPTH:</u>	90FT	21N	19W	2	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				497,997.29	4,043,677.17
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	ZONE 15			
<u>S.W.L. (AFTER CASING):</u>	40		3 MI FROM CEDAR CREEK STONE			

LOG ID:
020657

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1961/11/20	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,329FT
<u>DRILL DEPTH:</u>	610FT	21N	21W	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				485,488.30	4,044,872.12
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	ZONE 15			
<u>S.W.L. (AFTER CASING):</u>	406		formerly in name of Ray Foudray - 0.75 MI N OF PINE TOP SCHOOL ON HWY JJ			



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
022680

WELL TYPE
Private Well

DRILL DATE: 1946/04/15 TOWNSHIP 21N RANGE 21W SECTION 6 ELEVATION: 1,280FT
DRILL DEPTH: 845FT UTM X 477,410.31 UTM Y 4,045,337.09
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): 300 FT REMARKS: OLD WELL (#9106) DEEPENED - SEE LOG FOR #9106
S.W.L. (AFTER CASING): 380 FT

LOG ID:
009106

WELL TYPE
Private Well

DRILL DATE: 1946/04/15 TOWNSHIP 21N RANGE 21W SECTION 6 ELEVATION:
DRILL DEPTH: 845FT UTM X 477,210.31 UTM Y 4,045,337.09
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): 300 FT REMARKS: OLD WELL DEEPENED (1964) 585-845' (see log #22680)
S.W.L. (AFTER CASING): 380 FT

LOG ID:
027340

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1973/06/01 TOWNSHIP 21N RANGE 22W SECTION 1 ELEVATION: 1,125FT
DRILL DEPTH: 540FT UTM X 476,681.31 UTM Y 4,045,365.10
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: aka Clevenger Branch Members Corporation and formerly in name of
S.W.L. (AFTER CASING): 70 Yogi Bear Jellystone Park - W.E. Barclay

LOG ID:
028753

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1995/04/24 TOWNSHIP 21N RANGE 22W SECTION 12 ELEVATION: 1,350FT
DRILL DEPTH: 1,650FT UTM X 476,154.31 UTM Y 4,043,617.09
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): 367 FT REMARKS: Bass Pro Shops - renumbered as Well #1 (new well) - deepened from
S.W.L. (AFTER CASING): 463 FT 1195 feet and 8 inch casing installed and sealed to 1195 feet in 1996 by



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028699**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1991/05/28	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,018FT
<u>DRILL DEPTH:</u>	1,105FT	21N	22W	12	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					475,093.31	4,043,746.10
<u>S.W.L. (BEFORE CASING):</u>	250	FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	250	FT				

REMARKS: Bass Pro Shops - renumbered as Well #2 (old well)

LOG ID:**024608**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1966/10/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,048FT
<u>DRILL DEPTH:</u>	950FT	21N	22W	12	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	300FT				475,554.31	4,043,221.10
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: NO SAMPLES 0-300'

LOG ID:**017242**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1958/06/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,020FT
<u>DRILL DEPTH:</u>	800FT	21N	22W	12	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					475,554.31	4,043,221.10
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	127					

REMARKS: ABANDONED AND PLUGGED W/ CEMENT 9/1987/

LOG ID:**024724**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1967/01/24	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,336FT
<u>DRILL DEPTH:</u>	1,610FT	21N	22W	13	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	75FT				475,111.32	4,042,231.09
<u>S.W.L. (BEFORE CASING):</u>	457	FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	467	FT				

REMARKS:



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028329**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1980/01/10TOWNSHIPRANGESECTIONELEVATION:

1,320FT

DRILL DEPTH: 1,005FT

21N

22W

14

DEPTH TO BED: 40FTUTM XUTM Y

474,918.32

4,042,272.10

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 510**LOG ID:****019855**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1961/06/23TOWNSHIPRANGESECTIONELEVATION:

1,050FT

DRILL DEPTH: 410FT

21N

22W

15

DEPTH TO BED: 5FTUTM XUTM Y

473,222.32

4,041,600.11

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 0.75 MI OFF HWY 86 ON HOLLISTER AND LONG CREEK BOAT
DOCK RD, S SIDES.W.L. (AFTER CASING): 140**LOG ID:****019644**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1960//TOWNSHIPRANGESECTIONELEVATION:

965FT

DRILL DEPTH: 500FT

21N

22W

15

DEPTH TO BED: 20FTUTM XUTM Y

472,522.32

4,041,700.11

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: ANNE HOAGLAND, FORMER OWNER?S.W.L. (AFTER CASING):**LOG ID:****020086**WELL TYPE

Private Well

DRILL DATE: 1960/04/03TOWNSHIPRANGESECTIONELEVATION:

1,043FT

DRILL DEPTH: 485FT

21N

22W

15

DEPTH TO BED: 20FTUTM XUTM Y

473,222.32

4,041,600.11

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 0.5 MI FROM HWY 86, S NEAR HOLLISTER BOAT DOCKS.W.L. (AFTER CASING): 180



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**020238**WELL TYPE

Private Well

DRILL DATE: 1961/06/08TOWNSHIPRANGESECTIONELEVATION:

943FT

DRILL DEPTH: 308FT

21N

22W

2

UTM XUTM YDEPTH TO BED:

473,595.31

4,044,271.12

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:

3 MI W OF HWY 65, 2.75 MI N OF ARK-MO STATE LINE; USE WITH CAUTION

S.W.L. (AFTER CASING): 26**LOG ID:****019897**WELL TYPE

Private Well

DRILL DATE: 1961/03/21TOWNSHIPRANGESECTIONELEVATION:

953FT

DRILL DEPTH: 285FT

21N

22W

3

UTM XUTM YDEPTH TO BED: 5FT

473,395.31

4,044,320.12

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:

formerly in name of E. Eckoff - 8 MI S OF HOLLISTER ON HWY 65, W 4.5 MI; 1.5 MI NE OF LONG CK BRIDGE

S.W.L. (AFTER CASING): 61**LOG ID:****012440**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1953/10/TOWNSHIPRANGESECTIONELEVATION:

1,072FT

DRILL DEPTH: 675FT

22N

17W

17

UTM XUTM YDEPTH TO BED: 5FT

513,686.30

4,049,895.11

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:

formerly in name of Protem School R-8 - JCT HWYS 80 & 125.

S.W.L. (AFTER CASING): 340**LOG ID:****027721**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

840FT

DRILL DEPTH: 310FT

22N

17W

27

UTM XUTM YDEPTH TO BED: 20FT

517,072.30

4,045,859.10

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:

PROTEM; NO SAMPLES 85-250'

S.W.L. (AFTER CASING): 120



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**023417**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,310FT

DRILL DEPTH:

600FT

22N

18W

11

DEPTH TO BED:

40FT

UTM XUTM Y

508,483.29

4,051,695.13

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: @ RUETER; AIR-ROTARY SAMPLESS.W.L. (AFTER CASING):**LOG ID:****014995**WELL TYPE

Private Well

DRILL DATE:

1956/08/10

TOWNSHIPRANGESECTIONELEVATION:

723FT

DRILL DEPTH:

215FT

22N

20W

1

DEPTH TO BED:

10FT

UTM XUTM Y

494,732.29

4,048,393.16

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: MANY MISSING SAMPLESS.W.L. (AFTER CASING):

122

LOG ID:**000421**WELL TYPE

Private Well

DRILL DATE:

1906/09/26

TOWNSHIPRANGESECTIONELEVATION:

911FT

DRILL DEPTH:

81FT

22N

20W

16

DEPTH TO BED:

45FT

UTM XUTM Y

490,254.29

4,046,497.14

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****002744**WELL TYPE

Noncommunity Public Well

DRILL DATE:

1933/08/25

TOWNSHIPRANGESECTIONELEVATION:

954FT

DRILL DEPTH:

230FT

22N

20W

26

DEPTH TO BED:

40FT

UTM XUTM Y

494,075.29

4,042,475.15

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**011483**WELL TYPE

Private Well

DRILL DATE: 1950/10/TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH: 126FT

22N

20W

34

DEPTH TO BED: 5FTUTM XUTM Y

491,839.30

4,040,719.14

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: SILVER CREEK RANCHS.W.L. (AFTER CASING):**LOG ID:****006282**WELL TYPE

Private Well

DRILL DATE: 1940/04/TOWNSHIPRANGESECTIONELEVATION:

964FT

DRILL DEPTH: 437FT

22N

20W

4

DEPTH TO BED: 10FTUTM XUTM Y

490,876.29

4,048,654.15

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 285**LOG ID:****028791**WELL TYPE

Community Public Well

DRILL DATE: 1992/08/11TOWNSHIPRANGESECTIONELEVATION:

950FT

DRILL DEPTH: 1,495FT

22N

21W

10

DEPTH TO BED:UTM XUTM Y

482,378.29

4,053,326.14

ZONE 15

S.W.L. (BEFORE CASING): 208 FTREMARKS: located on Hwy BBS.W.L. (AFTER CASING): 285 FT**LOG ID:****009779**WELL TYPE

Private Well

DRILL DATE: 1947/12/08TOWNSHIPRANGESECTIONELEVATION:

976FT

DRILL DEPTH: 100FT

22N

21W

10

DEPTH TO BED: 5FTUTM XUTM Y

482,778.29

4,052,534.14

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: YIELD - 25 GPHS.W.L. (AFTER CASING): 50



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**024368**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1966/08/22 TOWNSHIP 22N RANGE 21W SECTION 12 ELEVATION: 1,000FT
DRILL DEPTH: 525FT UTM X 485,265.29 UTM Y 4,052,972.15
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: "BOILER HOUSE SAMPLES - USE LOG WITH CAUTION"
S.W.L. (AFTER CASING): 265

LOG ID:**003468**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1935/10/ TOWNSHIP 22N RANGE 21W SECTION 17 ELEVATION: 1,060FT
DRILL DEPTH: 219FT UTM X 478,908.30 UTM Y 4,050,711.13
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: ABANDONED, COVERED BY CONSTRUCTION OF HWY 65; JCT OF
S.W.L. (AFTER CASING): HWYS 65 & 86

LOG ID:**008038**WELL TYPE

Private Well

DRILL DATE: 1942/10/ TOWNSHIP 22N RANGE 21W SECTION 19 ELEVATION: 890FT
DRILL DEPTH: 137FT UTM X 477,014.30 UTM Y 4,049,539.12
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: ON HWY 86 1.5 MI W OF HWY 65, 0.25 MI W
S.W.L. (AFTER CASING): 92

LOG ID:**028785**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1996/02/03 TOWNSHIP 22N RANGE 21W SECTION 2 ELEVATION: 958FT
DRILL DEPTH: 1,140FT UTM X 483,779.29 UTM Y 4,053,909.15
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: CBI/Ascension Resorts, Ltd.
S.W.L. (AFTER CASING): 282



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028757**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1984/07/20 TOWNSHIP 22N RANGE 21W SECTION 2 ELEVATION: 981FT
DRILL DEPTH: 1,025FT UTM X 484,179.29 UTM Y 4,054,316.15
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: CBI/Ascension Resorts, Ltd.
S.W.L. (AFTER CASING):

LOG ID:**024127**WELL TYPE

Noncommunity Public Well

DRILL DATE: TOWNSHIP 22N RANGE 21W SECTION 2 ELEVATION: 950FT
DRILL DEPTH: 535FT UTM X 483,879.29 UTM Y 4,054,214.15
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: YIELD - 40 GPM @ 110'; 3 MI E OF BRANSON ON HWY 160
S.W.L. (AFTER CASING):

LOG ID:**028790**WELL TYPE

Community Public Well

DRILL DATE: 1998/01/06 TOWNSHIP 22N RANGE 21W SECTION 27 ELEVATION: 1,100FT
DRILL DEPTH: 1,795FT UTM X 482,539.30 UTM Y 4,047,936.12
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: Patch Development Ltd
S.W.L. (AFTER CASING): 150

LOG ID:**019819**WELL TYPE

Private Well

DRILL DATE: 1961/05/03 TOWNSHIP 22N RANGE 21W SECTION 3 ELEVATION: 948FT
DRILL DEPTH: 285FT UTM X 481,878.29 UTM Y 4,055,059.15
DEPTH TO BED: 5FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 0.5 MI E OF LAKE TANEYCOMO ON HWY 160; 500' S OF HWY.
S.W.L. (AFTER CASING): 157



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**020512**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1961//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,345FT
<u>DRILL DEPTH:</u>	655FT	22N	21W	31	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				476,952.31	4,046,245.10
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	American Telephone & Telegraph			

LOG ID:**029014**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	2002/07/16	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,340FT
<u>DRILL DEPTH:</u>	1,410FT	22N	21W	31	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					477,210.31	4,045,812.10
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>	No pump test data submitted.		
<u>S.W.L. (AFTER CASING):</u>	495				ZONE 15	

LOG ID:**008891**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	
<u>DRILL DEPTH:</u>	285FT	22N	21W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					484,727.30	4,046,503.12
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>	8 MI FROM HOLLISTER		
<u>S.W.L. (AFTER CASING):</u>	30				ZONE 15	

LOG ID:**027314**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1973//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	960FT
<u>DRILL DEPTH:</u>	1,125FT	22N	21W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				481,412.29	4,053,905.14
<u>S.W.L. (BEFORE CASING):</u>	240		<u>REMARKS:</u>	at Knox - YIELD - 200 GPM @ 400'		
<u>S.W.L. (AFTER CASING):</u>		FT			ZONE 15	



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**010305**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1948/06/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	942FT
<u>DRILL DEPTH:</u>	760FT	22N	21W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				481,089.29	4,054,487.15
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	257					

REMARKS:**LOG ID:****020651**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1961/09/29	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	890FT
<u>DRILL DEPTH:</u>	392FT	22N	21W	5	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					478,725.30	4,054,934.15
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	103					

REMARKS:**LOG ID:****011638**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1951/08/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,010FT
<u>DRILL DEPTH:</u>	400FT	22N	21W	6	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				477,200.30	4,055,127.15
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	250					

REMARKS: ABANDONED AND PLUGGED 12/1987**LOG ID:****028359**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1970/04/08	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	900FT
<u>DRILL DEPTH:</u>	580FT	22N	21W	7	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					477,393.30	4,053,636.14
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	150					

REMARKS: formerly in name of Virgil Snowden and Fall Creek Apartments -
SCANNED, TOPS ONLY, NO LITHOLOGIES - "VERY POOR"



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028108**WELL TYPE

Community Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

920FT

DRILL DEPTH:

580FT

22N

21W

7

UTM XUTM YDEPTH TO BED:

20FT

477,399.30

4,053,616.14

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

SUBDIVISION OWNED BY JIM PERKINS

S.W.L. (AFTER CASING):**LOG ID:****009010**WELL TYPE

Community Public Well

DRILL DATE:

1945/12/

TOWNSHIPRANGESECTIONELEVATION:

927FT

DRILL DEPTH:

1,100FT

22N

21W

7

UTM XUTM YDEPTH TO BED:

24FT

478,442.30

4,052,386.13

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

at fire station - POINT LOOKOUT

S.W.L. (AFTER CASING):

218

LOG ID:**008884**WELL TYPE

Community Public Well

DRILL DATE:

1945/09/10

TOWNSHIPRANGESECTIONELEVATION:

926FT

DRILL DEPTH:

1,125FT

22N

21W

7

UTM XUTM YDEPTH TO BED:

5FT

478,466.30

4,052,296.13

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

ACIDIZED IN 1948, YIELD INCREASED TO 139 GPM, SWL 229'

S.W.L. (AFTER CASING):

220

LOG ID:**007798**WELL TYPE

Noncommunity Public Well

DRILL DATE:

1942/06/03

TOWNSHIPRANGESECTIONELEVATION:

938FT

DRILL DEPTH:

572FT

22N

21W

7

UTM XUTM YDEPTH TO BED:

300FT

478,465.30

4,052,255.13

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

old well #1 - "CANNING FACTORY"; NO SAMPLES ABOVE 300' (OLD WELL DEEPENED ??)

S.W.L. (AFTER CASING):

200



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**003004**WELL TYPE

Oil Well

DRILL DATE: 1920//TOWNSHIP

22N

RANGE

21W

SECTION

8

ELEVATION:DRILL DEPTH: 923FTUTM XUTM YDEPTH TO BED: 15FT

479,214.30

4,053,402.14

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: OIL TESTS.W.L. (AFTER CASING):**LOG ID:****008687**WELL TYPE

Community Public Well

DRILL DATE: 1945/01/25TOWNSHIP

22N

RANGE

21W

SECTION

9

ELEVATION:

740FT

DRILL DEPTH: 449FTUTM XUTM YDEPTH TO BED:

480,485.30

4,052,667.14

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: TOP OF PUMP BOWL AT 200'S.W.L. (AFTER CASING): 42**LOG ID:****012429**WELL TYPE

Community Public Well

DRILL DATE: 1953/09/27TOWNSHIP

22N

RANGE

21W

SECTION

9

ELEVATION:

840FT

DRILL DEPTH: 990FTUTM XUTM YDEPTH TO BED: 5FT

480,490.30

4,052,801.14

ZONE 15

S.W.L. (BEFORE CASING): 143 FTREMARKS:S.W.L. (AFTER CASING): 148 FT**LOG ID:****028610**WELL TYPE

Community Public Well

DRILL DATE: 1984/06/04TOWNSHIP

22N

RANGE

22W

SECTION

1

ELEVATION:

960FT

DRILL DEPTH: 1,242FTUTM XUTM YDEPTH TO BED:

475,449.29

4,055,023.17

ZONE 15

S.W.L. (BEFORE CASING): 300 FTREMARKS: formerly in name of Tri-State Utilities Well #2S.W.L. (AFTER CASING): 185 FT



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
028625

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>	1985/03/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	970FT
<u>DRILL DEPTH:</u>	1,315FT	22N	22W	1		
<u>DEPTH TO BED:</u>	5FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	246	FT			476,249.29	4,055,223.16
<u>S.W.L. (AFTER CASING):</u>	192	FT			ZONE 15	
<u>REMARKS:</u> formerly in name of Tri-State Utilities Well #3 - MO#5024601						

LOG ID:
013784

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1955//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,023FT
<u>DRILL DEPTH:</u>	360FT	22N	22W	1		
<u>DEPTH TO BED:</u>					<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>		FT			475,649.29	4,055,023.16
<u>S.W.L. (AFTER CASING):</u>	250				ZONE 15	
<u>REMARKS:</u> 10-FT SAMPLES						

LOG ID:
028734

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>	1987/09/30	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,160FT
<u>DRILL DEPTH:</u>	1,600FT	22N	22W	10		
<u>DEPTH TO BED:</u>	35FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>		FT			473,213.29	4,053,077.17
<u>S.W.L. (AFTER CASING):</u>	378				ZONE 15	
<u>REMARKS:</u>						

LOG ID:
018731

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	869FT
<u>DRILL DEPTH:</u>	90FT	22N	22W	12		
<u>DEPTH TO BED:</u>	5FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>					475,419.30	4,052,634.15
<u>S.W.L. (AFTER CASING):</u>					ZONE 15	
<u>REMARKS:</u> Ed Moore & Associates - NO CASING OR PRODUCTION DATA						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**018362**WELL TYPE

Community Public Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 869FT
22N 22W 12
DRILL DEPTH: 250FT UTM X UTM Y
DEPTH TO BED: 5FT 475,419.30 4,052,634.15
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: Ed Moore & Associates Inc - "LOST HOLE - ABANDONED 8/59"
S.W.L. (AFTER CASING):

LOG ID:**020659**WELL TYPE

Private Well

DRILL DATE: 1961/11/01 TOWNSHIP RANGE SECTION ELEVATION: 1,027FT
22N 22W 2
DRILL DEPTH: 305FT UTM X UTM Y
DEPTH TO BED: 10FT 475,234.29 4,054,484.16
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: formerly in name of Richard Hovick - JCT OF HWYS 160 & 148,
S.W.L. (AFTER CASING): 167 GATEWOOD SUBDIVISION

LOG ID:**028760**WELL TYPE

Community Public Well

DRILL DATE: 1955/01/16 TOWNSHIP RANGE SECTION ELEVATION: 1,037FT
22N 22W 2
DRILL DEPTH: 1,470FT UTM X UTM Y
DEPTH TO BED: 474,734.29 4,054,386.17
ZONE 15
S.W.L. (BEFORE CASING): 380 FT REMARKS:
S.W.L. (AFTER CASING): 490 FT

LOG ID:**028355**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1980/04/01 TOWNSHIP RANGE SECTION ELEVATION: 1,045FT
22N 22W 2
DRILL DEPTH: 775FT UTM X UTM Y
DEPTH TO BED: 15FT 474,634.29 4,055,270.17
ZONE 15
S.W.L. (BEFORE CASING): 270 REMARKS:
S.W.L. (AFTER CASING): FT



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**023388**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,022FT

DRILL DEPTH:

360FT

22N

22W

2

UTM XUTM YDEPTH TO BED:

10FT

475,234.29

4,054,484.16

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

4 MI W OF BRANSON IN GATEWAY SUBDIVISION

S.W.L. (AFTER CASING):**LOG ID:****027319**WELL TYPE

Community Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,065FT

DRILL DEPTH:

1,190FT

22N

22W

2

UTM XUTM YDEPTH TO BED:

474,834.29

4,054,680.17

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

TRI STATE UTILITIES CO #1 - JCT OF HWYS 76 & 165 - BRANSON

S.W.L. (AFTER CASING):

232

LOG ID:**015676**WELL TYPE

Private Well

DRILL DATE:

1956//

TOWNSHIPRANGESECTIONELEVATION:

1,046FT

DRILL DEPTH:

390FT

22N

22W

2

UTM XUTM YDEPTH TO BED:

474,834.29

4,054,484.17

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

formerly in name of J.T. Cawfield - YIELD - 15 GPM @ 350'

S.W.L. (AFTER CASING):

135

LOG ID:**021064**WELL TYPE

Noncommunity Public Well

DRILL DATE:

1962/07/

TOWNSHIPRANGESECTIONELEVATION:

741FT

DRILL DEPTH:

255FT

22N

22W

22

UTM XUTM YDEPTH TO BED:

30FT

472,717.30

4,050,137.16

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:SEE LOG #25700 FOR DIFFERENT CORRELATION (POSSIBLE
FAULT)S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**023569**WELL TYPE

Core Description

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

738FT

DRILL DEPTH:

139FT

22N

22W

22

UTM XUTM YDEPTH TO BED:

35FT

472,417.30

4,050,237.16

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:US Army Corps of Engineers - CORE CHIPS-TABLE ROCK DAM
POWERHOUSE - SITE #2S.W.L. (AFTER CASING):**LOG ID:****025700**WELL TYPE

Noncommunity Public Well

DRILL DATE:

1968/07/

TOWNSHIPRANGESECTIONELEVATION:

839FT

DRILL DEPTH:

545FT

22N

22W

22

UTM XUTM YDEPTH TO BED:

20FT

472,756.30

4,050,242.16

ZONE 15

S.W.L. (BEFORE CASING): 52REMARKS:

SWL 4' ABOVE SURFACE

S.W.L. (AFTER CASING):

FT

LOG ID:**023570**WELL TYPE

Core Description

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

738FT

DRILL DEPTH:

257FT

22N

22W

22

UTM XUTM YDEPTH TO BED:

20FT

472,817.30

4,049,836.16

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

US Army Corps of Engineers - CORE CHIPS- TABLE ROCK DAM

S.W.L. (AFTER CASING):**LOG ID:****028026**WELL TYPE

Noncommunity Public Well

DRILL DATE:

1976/06/10

TOWNSHIPRANGESECTIONELEVATION:

740FT

DRILL DEPTH:

1,210FT

22N

22W

22

UTM XUTM YDEPTH TO BED:

35FT

472,717.30

4,050,137.16

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

ARTESIAN FLOW

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**018273**WELL TYPE

Community Public Well

DRILL DATE: 1959/03/ TOWNSHIP 22N RANGE 22W SECTION 23 ELEVATION: 1,280FT
DRILL DEPTH: 970FT UTM X 474,944.30 UTM Y 4,049,011.13
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: OWNED BY JAMES C. JOHNSON
S.W.L. (AFTER CASING): 464

LOG ID:**028237**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1979/04/24 TOWNSHIP 22N RANGE 22W SECTION 23 ELEVATION: 940FT
DRILL DEPTH: 640FT UTM X 474,002.30 UTM Y 4,049,477.15
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NEWTON CAMPING; YIELDS - 6 GPM @ 200-225', 80 GPM @
S.W.L. (AFTER CASING): 440-450'

LOG ID:**028655**WELL TYPE

Community Public Well

DRILL DATE: TOWNSHIP 22N RANGE 22W SECTION 23 ELEVATION: 755FT
DRILL DEPTH: 750FT UTM X 474,427.30 UTM Y 4,049,797.14
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: ELEVATION APPROXIMATE
S.W.L. (AFTER CASING):

LOG ID:**028051**WELL TYPE

Community Public Well

DRILL DATE: TOWNSHIP 22N RANGE 22W SECTION 24 ELEVATION: 920FT
DRILL DEPTH: 600FT UTM X 475,669.30 UTM Y 4,050,165.14
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): 180 FT REMARKS: formerly in name of Clay Cantwell
S.W.L. (AFTER CASING): 110 FT



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**019857**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1961/03/23	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	940FT
<u>DRILL DEPTH:</u>	205FT	22N	22W	26	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				473,889.31	4,047,674.14
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>	formerly in name of L. Sayer - 200' E OFF END OF OLD HWY 86 ON N		
<u>S.W.L. (AFTER CASING):</u>	38		SIDE TABLE RK LAKE			

LOG ID:**021091**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1962/06/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	989FT
<u>DRILL DEPTH:</u>	475FT	22N	22W	27	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				473,079.30	4,048,527.15
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	80	FT	<u>REMARKS:</u>			
<u>S.W.L. (AFTER CASING):</u>	100	FT				

LOG ID:**020810**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1962/02/05	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	957FT
<u>DRILL DEPTH:</u>	140FT	22N	22W	27	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					472,879.31	4,047,723.15
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>	formerly in name of Fred Beuterbaugh		
<u>S.W.L. (AFTER CASING):</u>	63					

LOG ID:**018664**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1959/09/28	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	975FT
<u>DRILL DEPTH:</u>	437FT	22N	22W	27	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				472,989.30	4,048,523.15
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	120		<u>REMARKS:</u>	YIELD - 20 GPM @ 140'		
<u>S.W.L. (AFTER CASING):</u>		FT				



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**017426**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1958/07/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	964FT
<u>DRILL DEPTH:</u>	455FT	22N	22W	27	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				472,079.30	4,048,828.16
<u>S.W.L. (BEFORE CASING):</u>	150	FT				ZONE 15
<u>S.W.L. (AFTER CASING):</u>	180	FT				

REMARKS:

LOG ID:**008032**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1942/07/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	945FT
<u>DRILL DEPTH:</u>	128FT	22N	22W	27	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				473,479.31	4,047,521.14
<u>S.W.L. (BEFORE CASING):</u>		FT				ZONE 15
<u>S.W.L. (AFTER CASING):</u>	95					

REMARKS: YIELD - 10 G/HR; W OF HWY 65 ON HWY 86, ON LONG CREEK HILL

LOG ID:**028733**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1994/08/31	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,216FT
<u>DRILL DEPTH:</u>	1,680FT	22N	22W	3	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					472,422.28	4,054,913.19
<u>S.W.L. (BEFORE CASING):</u>		FT				ZONE 15
<u>S.W.L. (AFTER CASING):</u>	411					

REMARKS:

LOG ID:**028773**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1974/03/14	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,340FT
<u>DRILL DEPTH:</u>	565FT	23N	17W	32	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				512,771.30	4,054,424.11
<u>S.W.L. (BEFORE CASING):</u>	420					ZONE 15
<u>S.W.L. (AFTER CASING):</u>		FT				

REMARKS: UTMX = 512,903.6; UTM Y = 4,053,477.4



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**018933**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1960/04/02TOWNSHIPRANGESECTIONELEVATION:

693FT

DRILL DEPTH: 350FT

23N

19W

15

DEPTH TO BED:UTM XUTM Y

497,695.27

4,058,791.15

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:N SIDE HWY 160 IN OLD KISSEE MILLS, ON W SIDE BEAVER
CREEKS.W.L. (AFTER CASING):**LOG ID:****027641**WELL TYPE

Private Well

DRILL DATE: 1971/02/26TOWNSHIPRANGESECTIONELEVATION:

956FT

DRILL DEPTH: 385FT

23N

19W

24

DEPTH TO BED: 5FTUTM XUTM Y

500,961.27

4,057,735.15

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:

1.5 MI E OF KISSEE MILLS

S.W.L. (AFTER CASING): 180**LOG ID:****028977**WELL TYPE

Community Public Well

DRILL DATE: 2003/10/TOWNSHIPRANGESECTIONELEVATION:

945FT

DRILL DEPTH: 705FT

23N

20W

1

DEPTH TO BED: 20FTUTM XUTM Y

495,356.27

4,058,804.16

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****019185**WELL TYPE

Private Well

DRILL DATE: 1960/07/02TOWNSHIPRANGESECTIONELEVATION:

749FT

DRILL DEPTH: 200FT

23N

20W

13

DEPTH TO BED: 25FTUTM XUTM Y

495,628.27

4,055,298.16

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:

EVERY OTHER SAMPLE - 10-FT INTERVALS

S.W.L. (AFTER CASING): 90



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**012200**WELL TYPE

Private Well

DRILL DATE: 1953/02/14TOWNSHIP RANGE SECTIONELEVATION: 813FTDRILL DEPTH: 270FT

23N 20W 13

DEPTH TO BED: 5FTUTM X UTM Y
495,628.27 4,055,500.16
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 3 MI S OF NEW KISSEE MILLSS.W.L. (AFTER CASING): 168**LOG ID:****027301**WELL TYPE

Community Public Well

DRILL DATE:TOWNSHIP RANGE SECTIONELEVATION: 1,085FTDRILL DEPTH: 1,212FT

23N 20W 19

DEPTH TO BED:UTM X UTM Y
487,015.29 4,053,221.15
ZONE 15S.W.L. (BEFORE CASING): 278 FTREMARKS: LONG SECTIONS.W.L. (AFTER CASING): 350 FT**LOG ID:****028594**WELL TYPE

Community Public Well

DRILL DATE: 1984/08/24TOWNSHIP RANGE SECTIONELEVATION: 1,000FTDRILL DEPTH: 1,420FT

23N 20W 20

DEPTH TO BED: 10FTUTM X UTM Y
488,751.29 4,053,995.15
ZONE 15S.W.L. (BEFORE CASING): 330 FTREMARKS:S.W.L. (AFTER CASING): 339 FT**LOG ID:****021490**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIP RANGE SECTIONELEVATION: 776FTDRILL DEPTH: 355FT

23N 20W 28

DEPTH TO BED:UTM X UTM Y
491,028.29 4,051,667.15
ZONE 15S.W.L. (BEFORE CASING): 240 FTREMARKS: YIELD - 100 GPH; U.S. CORPS OF ENG.S.W.L. (AFTER CASING): 240 FT



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
023556

WELL TYPE
Private Well

DRILL DATE: 1965/05/11 TOWNSHIP 23N RANGE 20W SECTION 29 ELEVATION: 940FT
DRILL DEPTH: 425FT UTM X 489,312.29 UTM Y 4,051,682.15
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: HWY K, 3 MI E OF KIRBYVILLE
S.W.L. (AFTER CASING): 217

LOG ID:
022000

WELL TYPE
Community Public Well

DRILL DATE: TOWNSHIP 23N RANGE 20W SECTION 3 ELEVATION: 943FT
DRILL DEPTH: 550FT UTM X 492,175.27 UTM Y 4,058,815.16
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: JOHN B. "RED" JONES, OWNER; NO PRODUCTION DATA
S.W.L. (AFTER CASING):

LOG ID:
003408

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1935/07/28 TOWNSHIP 23N RANGE 20W SECTION 3 ELEVATION: 925FT
DRILL DEPTH: 509FT UTM X 491,675.28 UTM Y 4,058,325.16
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: CANNING FACTORY - GOVT. REHAB. FACILITY
S.W.L. (AFTER CASING): 166

LOG ID:
009517

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1946/11/ TOWNSHIP 23N RANGE 20W SECTION 3 ELEVATION: 936FT
DRILL DEPTH: 618FT UTM X 491,675.28 UTM Y 4,058,325.16
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: CANNING FACTORY; NO PRODUCTION DATA; "NEAR WELL #1"
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027261**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1972/12/04	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	730FT
<u>DRILL DEPTH:</u>	410FT	23N	20W	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				491,015.29	4,050,457.15
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	80	<u>REMARKS:</u>	US Army COE - YIELD - 150 GPM BEFORE CASING			

LOG ID:**019022**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1960/06/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	831FT
<u>DRILL DEPTH:</u>	450FT	23N	20W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				490,466.28	4,058,699.16
<u>S.W.L. (BEFORE CASING):</u>	175 FT	<u>REMARKS:</u>	VALLEY VIEW VILLAGE ADDITION AT FORSYTH			
<u>S.W.L. (AFTER CASING):</u>	182 FT		ZONE 15			

LOG ID:**020472**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1961/09/20	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	850FT
<u>DRILL DEPTH:</u>	350FT	23N	20W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					490,866.28	4,058,699.16
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	"BOILER HOUSE SAMPLES", USE WITH CAUTION			
<u>S.W.L. (AFTER CASING):</u>	93		ZONE 15			

LOG ID:**003931**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1935/07/30	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	780FT
<u>DRILL DEPTH:</u>	175FT	23N	20W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	60FT				490,666.28	4,058,895.16
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	1 MI S OF FORSYTH; YIELD - 0.5 GPM			
<u>S.W.L. (AFTER CASING):</u>			ZONE 15			



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**022564**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1964/05/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	920FT
<u>DRILL DEPTH:</u>	405FT	23N	20W	5	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				488,482.28	4,058,306.16
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	225	<u>REMARKS:</u>	MOSTLY 10-FT SAMPLES			

LOG ID:**019186**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1960/05/17	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	919FT
<u>DRILL DEPTH:</u>	360FT	23N	20W	5	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				488,282.28	4,058,306.16
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	240	<u>REMARKS:</u>	1 MI S OF FORSYTH; SAMPLES EVERY OTHER 5-FT.			

LOG ID:**014231**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1955/05/18	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	740FT
<u>DRILL DEPTH:</u>	115FT	23N	20W	7	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				487,390.28	4,057,277.16
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	65	<u>REMARKS:</u>	"NO RADIOACTIVITY"			

LOG ID:**014230**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1955/05/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	810FT
<u>DRILL DEPTH:</u>	225FT	23N	20W	7	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				487,790.28	4,057,451.16
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	135	<u>REMARKS:</u>	"NO RADIOACTIVITY"			



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
003590

WELL TYPE
Private Well

DRILL DATE: 1936/04/ TOWNSHIP 23N RANGE 20W SECTION 7 ELEVATION: 760FT
DRILL DEPTH: 125FT UTM X 487,790.28 UTM Y 4,057,105.16
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: OZARK BEACH
S.W.L. (AFTER CASING):

LOG ID:
020808

WELL TYPE
Private Well

DRILL DATE: 1962/02/26 TOWNSHIP 23N RANGE 20W SECTION 8 ELEVATION: 852FT
DRILL DEPTH: 147FT UTM X 487,990.28 UTM Y 4,057,623.16
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: formerly in name of Gaylord Wolf
S.W.L. (AFTER CASING): 62

LOG ID:
027678

WELL TYPE
Community Public Well

DRILL DATE: 1974/05/10 TOWNSHIP 23N RANGE 20W SECTION 8 ELEVATION: 926FT
DRILL DEPTH: 585FT UTM X 489,203.28 UTM Y 4,057,297.16
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: "EXCELLENT SET OF SAMPLES" - formerly in name of Fred Baker
S.W.L. (AFTER CASING): 200

LOG ID:
028894

WELL TYPE
Noncommunity Public Well

DRILL DATE: 2002/09/ TOWNSHIP 23N RANGE 20W SECTION 8 ELEVATION:
DRILL DEPTH: 445FT UTM X 489,365.28 UTM Y 4,057,190.16
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 100



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**005803**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1939/12/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	688FT
<u>DRILL DEPTH:</u>	210FT	23N	20W	8	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	100FT				488,865.28	4,057,090.16
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	40					

REMARKS:**LOG ID:****008581**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1944/04/10	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	739FT
<u>DRILL DEPTH:</u>	360FT	23N	20W	8	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				488,306.28	4,057,155.16
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: 75' N OF #1, NW SIDE OF LAKE UPSTREAM FROM DAM**LOG ID:****020813**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1962/01/06	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	894FT
<u>DRILL DEPTH:</u>	211FT	23N	20W	9	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				490,667.28	4,056,506.16
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	134					

REMARKS: "BOILER HOUSE SAMPLES - USE WITH CAUTION"**LOG ID:****020812**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1962/03/12	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	921FT
<u>DRILL DEPTH:</u>	248FT	23N	20W	9	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					491,067.28	4,056,304.16
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	194					

REMARKS: "POOR SAMPLES"



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**019427**WELL TYPE

Private Well

DRILL DATE: 1960/11/02TOWNSHIPRANGESECTIONELEVATION:

926FT

DRILL DEPTH: 305FT

23N

20W

9

UTM XUTM YDEPTH TO BED:

489,667.28

4,056,304.16

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 0.25 MI SW OF POWERSITE DAM ON LAKE TANEYCOMOS.W.L. (AFTER CASING): 205**LOG ID:****023303**WELL TYPE

Private Well

DRILL DATE: 1964/08/10TOWNSHIPRANGESECTIONELEVATION:

949FT

DRILL DEPTH: 470FT

23N

20W

9

UTM XUTM YDEPTH TO BED:

490,867.28

4,056,708.16

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: PLEASANT HILL SUBDUV., LOT 2, NEAR FORSYTH.S.W.L. (AFTER CASING): 235**LOG ID:****008918**WELL TYPE

Private Well

DRILL DATE: 1945/09/28TOWNSHIPRANGESECTIONELEVATION:

932FT

DRILL DEPTH: 457FT

23N

21W

11

UTM XUTM YDEPTH TO BED: 20FT

484,949.28

4,062,278.17

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: ROCKAWAY BEACHS.W.L. (AFTER CASING): 239**LOG ID:****022229**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1930/01/TOWNSHIPRANGESECTIONELEVATION:

906FT

DRILL DEPTH: 610FT

23N

21W

12

UTM XUTM YDEPTH TO BED: 10FT

485,261.28

4,061,838.17

ZONE 15

S.W.L. (BEFORE CASING): 137 FTREMARKS: OLD WELL DEEPENED 450-610' (1963; #2285); ABANDONED - 1975S.W.L. (AFTER CASING): 139 FT



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027829**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1975//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	921FT
<u>DRILL DEPTH:</u>	1,035FT	23N	21W	12	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				485,693.28	4,062,305.17
<u>S.W.L. (BEFORE CASING):</u>	192	FT				ZONE 15
<u>S.W.L. (AFTER CASING):</u>	224	FT				

REMARKS: POOR SAMPLES; SCANNED, NO CARBONATE LOGGED.

LOG ID:**005399**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1939/05/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	865FT
<u>DRILL DEPTH:</u>	360FT	23N	21W	12	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	70FT				485,552.28	4,063,007.18
<u>S.W.L. (BEFORE CASING):</u>		FT				ZONE 15
<u>S.W.L. (AFTER CASING):</u>	160					

REMARKS: formerly in name of John M. Quinn - YIELD - 10 GPM @ 337', NO DD

LOG ID:**009298**WELL TYPE

Outcrop Description

<u>DRILL DATE:</u>	1946/12/03	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	699FT
<u>DRILL DEPTH:</u>	110FT	23N	21W	12	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				486,452.28	4,062,100.17
<u>S.W.L. (BEFORE CASING):</u>						ZONE 15
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: HWY 76; MAY BE COTTER & JC DOLOMITES; NOT A WELL (BUT HAS PWS #)

LOG ID:**008723**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1945/03/29	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	
<u>DRILL DEPTH:</u>	600FT	23N	21W	12	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	6FT				485,352.28	4,061,999.17
<u>S.W.L. (BEFORE CASING):</u>		FT				ZONE 15
<u>S.W.L. (AFTER CASING):</u>	200					

REMARKS: 0.25 MI NW OF WELL #1



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**007151**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH: 226FT

23N

21W

13

DEPTH TO BED: 10FTUTM XUTM Y

486,540.28

4,060,810.17

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 1 MI N OF ROCKAWAY BEACHS.W.L. (AFTER CASING):**LOG ID:****002285**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1930/01/TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH: 425FT

23N

21W

13

DEPTH TO BED: 12FTUTM XUTM Y

486,240.28

4,060,305.17

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: OLD WELL DEEPENED - SEE LOG #22229S.W.L. (AFTER CASING):**LOG ID:****020549**WELL TYPE

Private Well

DRILL DATE: 1961/09/11TOWNSHIPRANGESECTIONELEVATION:

968FT

DRILL DEPTH: 327FT

23N

21W

16

DEPTH TO BED:UTM XUTM Y

481,753.29

4,061,152.18

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 147**LOG ID:****020234**WELL TYPE

Private Well

DRILL DATE: 1961/05/24TOWNSHIPRANGESECTIONELEVATION:

1,004FT

DRILL DEPTH: 267FT

23N

21W

16

DEPTH TO BED: 5FTUTM XUTM Y

480,853.29

4,060,654.18

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 123



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**018394**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1959/04/28	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,008FT
<u>DRILL DEPTH:</u>	275FT	23N	21W	16	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				480,453.29	4,061,052.18
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	3.5 MI N OF BRANSON ON HWY 76; MANY MISSING SAMPLES			
<u>S.W.L. (AFTER CASING):</u>	125					

LOG ID:**028900**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	2002/12/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,010FT
<u>DRILL DEPTH:</u>	1,220FT	23N	21W	16	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					481,153.29	4,060,754.18
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	Rinehart Rd			
<u>S.W.L. (AFTER CASING):</u>	360					

LOG ID:**023410**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1965/04/02	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	930FT
<u>DRILL DEPTH:</u>	310FT	23N	21W	17	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					480,169.29	4,060,391.18
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	2.5 MI N OF BRANSON ON NEW HWY 65; YIELD - 20 GPM @ 170'			
<u>S.W.L. (AFTER CASING):</u>	165					

LOG ID:**025066**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,069FT
<u>DRILL DEPTH:</u>	290FT	23N	21W	19	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					477,353.29	4,059,029.17
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	4 MI NW OF BRANSON ON HWY 148; YIELD - 2 GPM @ 90'			
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028120**WELL TYPE

Community Public Well

DRILL DATE: 1978/04/18TOWNSHIPRANGESECTIONELEVATION:

1,004FT

DRILL DEPTH: 1,200FT

23N

21W

19

DEPTH TO BED:UTM XUTM Y

478,584.29

4,058,536.17

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: on Bird RoadS.W.L. (AFTER CASING): 289**LOG ID:****026665**WELL TYPE

Community Public Well

DRILL DATE: 1970/11/TOWNSHIPRANGESECTIONELEVATION:

1,004FT

DRILL DEPTH: 500FT

23N

21W

2

DEPTH TO BED:UTM XUTM Y

484,373.28

4,063,278.18

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: aka Glenwood Subdivision(?)S.W.L. (AFTER CASING): 127**LOG ID:****024533**WELL TYPE

Community Public Well

DRILL DATE: 1966/08/05TOWNSHIPRANGESECTIONELEVATION:

984FT

DRILL DEPTH: 1,100FT

23N

21W

20

DEPTH TO BED: 40FTUTM XUTM Y

478,936.29

4,058,782.17

ZONE 15

S.W.L. (BEFORE CASING): 195REMARKS:S.W.L. (AFTER CASING): FT**LOG ID:****003444**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1935/08/TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH: 30FT

23N

21W

20

DEPTH TO BED: 10FTUTM XUTM Y

480,036.29

4,058,682.17

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**008371**WELL TYPE

Private Well

DRILL DATE: 1943/09/19TOWNSHIPRANGESECTIONELEVATION:

932FT

DRILL DEPTH: 140FT

23N

21W

23

DEPTH TO BED: 15FTUTM XUTM Y

484,123.29

4,058,440.16

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: formerly in name of J.R. Pyeatt - ALL LOGGED AS "JEFFERSON CITY"S.W.L. (AFTER CASING): 100**LOG ID:****019822**WELL TYPE

Private Well

DRILL DATE: 1961/03/15TOWNSHIPRANGESECTIONELEVATION:

1,001FT

DRILL DEPTH: 390FT

23N

21W

26

DEPTH TO BED: 5FTUTM XUTM Y

484,106.29

4,056,842.16

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1.5 MI N ON HWY T OFF HWY 160S.W.L. (AFTER CASING): 176**LOG ID:****019820**WELL TYPE

Private Well

DRILL DATE: 1961/05/10TOWNSHIPRANGESECTIONELEVATION:

747FT

DRILL DEPTH: 205FT

23N

21W

27

DEPTH TO BED:UTM XUTM Y

481,902.29

4,058,092.16

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 2 MI ON LAKE SHORE DR OFF HWY 160, 400' FROM LAKE
TANEYCOMO,S.W.L. (AFTER CASING):**LOG ID:****026594**WELL TYPE

Community Public Well

DRILL DATE: 1970/06/TOWNSHIPRANGESECTIONELEVATION:

879FT

DRILL DEPTH: 805FT

23N

21W

28

DEPTH TO BED: 15FTUTM XUTM Y

481,024.29

4,058,214.16

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 3 MI N OF BRANSON; YIELD - 200 GPM @ 297'S.W.L. (AFTER CASING): 163



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028101**WELL TYPE

Community Public Well

DRILL DATE: 1978/08/30TOWNSHIPRANGESECTIONELEVATION:

900FT

DRILL DEPTH: 1,520FT

23N

21W

28

DEPTH TO BED:UTM XUTM Y

480,377.29

4,057,795.16

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: BRANSON HIGH SCHOOLS.W.L. (AFTER CASING): 181**LOG ID:****028256**WELL TYPE

Community Public Well

DRILL DATE: 1979/04/26TOWNSHIPRANGESECTIONELEVATION:

970FT

DRILL DEPTH: 700FT

23N

21W

29

DEPTH TO BED: 35FTUTM XUTM Y

479,517.29

4,057,366.16

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: currently inactive - formerly in name of Branson North Subdivision Well #2 (Duane Henss)S.W.L. (AFTER CASING): 230**LOG ID:****026538**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1979/12/TOWNSHIPRANGESECTIONELEVATION:

940FT

DRILL DEPTH: 665FT

23N

21W

29

DEPTH TO BED: 55FTUTM XUTM Y

479,917.29

4,057,366.16

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: "NOT STATE APPROVED"; "MAY HAVE BEEN PLUGGED"S.W.L. (AFTER CASING): 210**LOG ID:****024479**WELL TYPE

Community Public Well

DRILL DATE: 1966/06/TOWNSHIPRANGESECTIONELEVATION:

970FT

DRILL DEPTH: 580FT

23N

21W

29

DEPTH TO BED: 30FTUTM XUTM Y

479,517.29

4,057,366.16

ZONE 15

S.W.L. (BEFORE CASING): 220 FTREMARKS: now inactive - formerly in name of Branson North Subdivision Well #1 - Culbertson & HenseS.W.L. (AFTER CASING): 238 FT



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027421**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

984FT

DRILL DEPTH:

645FT

23N

21W

29

DEPTH TO BED:

15FT

UTM XUTM Y

479,117.29

4,057,568.16

ZONE 15

S.W.L. (BEFORE CASING):

240

FT

REMARKS:

CARL AUTRY, OWNER; NEXT TO BRANSON INN

S.W.L. (AFTER CASING):

200

FT

LOG ID:**008500**WELL TYPE

Private Well

DRILL DATE:

1943/10/29

TOWNSHIPRANGESECTIONELEVATION:

898FT

DRILL DEPTH:

530FT

23N

21W

29

DEPTH TO BED:UTM XUTM Y

479,617.29

4,057,166.16

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

135

LOG ID:**027039**WELL TYPE

Community Public Well

DRILL DATE:

1971/10/20

TOWNSHIPRANGESECTIONELEVATION:

837FT

DRILL DEPTH:

385FT

23N

21W

3

DEPTH TO BED:

15FT

UTM XUTM Y

482,014.28

4,063,431.19

ZONE 15

S.W.L. (BEFORE CASING):

150

REMARKS:

fomerly in name of Rollin Williams and Meadowbrook Trailer Park

S.W.L. (AFTER CASING):

FT

LOG ID:**013422**WELL TYPE

Private Well

DRILL DATE:

1955/02/17

TOWNSHIPRANGESECTIONELEVATION:

1,020FT

DRILL DEPTH:

417FT

23N

21W

30

DEPTH TO BED:

5FT

UTM XUTM Y

477,718.30

4,058,404.17

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

MOST OF LOG IN 10-FT INTERVALS (MANY SKIPPED 5-FT INTERVALS)

S.W.L. (AFTER CASING):

200



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**013425**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1955/03/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	855FT
<u>DRILL DEPTH:</u>	1,002FT	23N	21W	32	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				479,495.30	4,055,958.15
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u> AFTER ACIDIZING YIELD 197 GPM W/ 296' DD (3000 GAL 15% HCL)			
<u>S.W.L. (AFTER CASING):</u>	177					

LOG ID:**002120**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1926/09/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	946FT
<u>DRILL DEPTH:</u>	1,200FT	23N	21W	32	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	55FT				480,095.29	4,055,560.15
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u> YIELD - 30 GPM BEFORE "SHOT"; RECASED 1949 200-470'			
<u>S.W.L. (AFTER CASING):</u>	200					

LOG ID:**011907**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1952//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	955FT
<u>DRILL DEPTH:</u>	1,085FT	23N	21W	32	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				478,895.30	4,055,360.15
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	275	FT	<u>REMARKS:</u> Crosby well - 1 MI W OF BRANSON ON HWY 80			
<u>S.W.L. (AFTER CASING):</u>	294	FT				

LOG ID:**019894**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1961/01/17	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	921FT
<u>DRILL DEPTH:</u>	285FT	23N	21W	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				481,683.29	4,055,304.15
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u> 1/8 MI E OF LAKE TANEYCOMO, 300' OFF HWY 160			
<u>S.W.L. (AFTER CASING):</u>	202					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**005869**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1939/10/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	729FT
<u>DRILL DEPTH:</u>	403FT	23N	21W	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				480,683.29	4,056,722.16
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	20	<u>REMARKS:</u>	"ELEVATION TOO HIGH?"			

LOG ID:**009322**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1946//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	716FT
<u>DRILL DEPTH:</u>	400FT	23N	21W	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	90FT				480,683.29	4,055,710.15
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	40	<u>REMARKS:</u>	OLD DUG WELL DEEPENED 30-400'			

LOG ID:**008385**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1943/09/30	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	768FT
<u>DRILL DEPTH:</u>	225FT	23N	21W	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				481,283.29	4,056,316.16
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	100	<u>REMARKS:</u>				

LOG ID:**007221**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	699FT
<u>DRILL DEPTH:</u>	70FT	23N	21W	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				480,983.29	4,056,013.15
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	E OF BRANSON ON EAST SIDE OF LAKE TANEYCOMO - ALONG ROAD CROSSING LAKE			

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
020800

WELL TYPE
Private Well

DRILL DATE: 1961/12/05

TOWNSHIP RANGE SECTION

ELEVATION: 952FT

DRILL DEPTH: 240FT

23N 21W 34

UTM X UTM Y
482,492.29 4,055,468.15
ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 127

LOG ID:
020801

WELL TYPE
Private Well

DRILL DATE: 1962/02/24

TOWNSHIP RANGE SECTION

ELEVATION: 948FT

DRILL DEPTH: 248FT

23N 21W 8

UTM X UTM Y
479,603.29 4,063,214.19
ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING): FT

REMARKS: formerly in name of Robert Van Kleet

S.W.L. (AFTER CASING): 141

LOG ID:
019118

WELL TYPE
Private Well

DRILL DATE: 1960/04/12

TOWNSHIP RANGE SECTION

ELEVATION: 1,044FT

DRILL DEPTH: 255FT

23N 22W 12

UTM X UTM Y
476,195.28 4,061,863.20
ZONE 15

DEPTH TO BED: 5FT

S.W.L. (BEFORE CASING):

REMARKS: 5 MI N OF BRANSON ON HWY 65

S.W.L. (AFTER CASING):

LOG ID:
028956

WELL TYPE
Community Public Well

DRILL DATE: 2003/01/

TOWNSHIP RANGE SECTION

ELEVATION: 1,060FT

DRILL DEPTH: 1,304FT

23N 22W 14

UTM X UTM Y
474,807.28 4,060,495.20
ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING): 280

REMARKS: aka Horizon Hills Subdivision

S.W.L. (AFTER CASING): FT



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**029020**WELL TYPE

Community Public Well

DRILL DATE: 2003/01/21TOWNSHIPRANGESECTIONELEVATION:

1,080FT

DRILL DEPTH: 1,304FT

23N

22W

14

DEPTH TO BED:UTM XUTM Y

475,300.28

4,060,604.20

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: No pump test data submitted.S.W.L. (AFTER CASING): 280**LOG ID:****015422**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1956/06/14TOWNSHIPRANGESECTIONELEVATION:

1,388FT

DRILL DEPTH: 595FT

23N

22W

27

DEPTH TO BED: 45FTUTM XUTM Y

472,718.28

4,057,928.20

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: ON HWY 140; BRUCE TREMBLE, OWNERS.W.L. (AFTER CASING): 75**LOG ID:****003695**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1936/05/TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH: 535FT

23N

22W

27

DEPTH TO BED: 210FTUTM XUTM Y

472,605.28

4,058,219.20

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: OWNED BY H.B. McDANIEL; NO SAMPLES TO 210'S.W.L. (AFTER CASING): 140**LOG ID:****020806**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1961/12/02TOWNSHIPRANGESECTIONELEVATION:

1,107FT

DRILL DEPTH: 410FT

23N

22W

35

DEPTH TO BED: 5FTUTM XUTM Y

474,075.29

4,056,066.18

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: JIM LANE CABIN - aka Sammy Lane RanchS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**006135**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1940/07/ TOWNSHIP 24N RANGE 18W SECTION 13 ELEVATION: 1,088FT
DRILL DEPTH: 598FT UTM X 510,796.29 UTM Y 4,068,548.10
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: NEAR BRADLEYVILLE; SEE LOG # 6065
S.W.L. (AFTER CASING): 250

LOG ID:**006065**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1940/07/ TOWNSHIP 24N RANGE 18W SECTION 13 ELEVATION: 1,050FT
DRILL DEPTH: 390FT UTM X 509,696.29 UTM Y 4,069,265.10
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: HOLE LOST WHEN TOOLS SANDED IN AT 390' - ABANDONED; SEE
S.W.L. (AFTER CASING): log #6135

LOG ID:**027579**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1974/04/01 TOWNSHIP 24N RANGE 18W SECTION 2 ELEVATION: 838FT
DRILL DEPTH: 500FT UTM X 508,222.29 UTM Y 4,071,330.11
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): 25 FT REMARKS:
S.W.L. (AFTER CASING): 35 FT

LOG ID:**023675**WELL TYPE

Noncommunity Public Well

DRILL DATE: TOWNSHIP 24N RANGE 19W SECTION 12 ELEVATION: 1,120FT
DRILL DEPTH: 425FT UTM X 501,255.26 UTM Y 4,070,840.13
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NO PRODUCTION OR CONSTRUCTION DATA
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**020817**WELL TYPE

Private Well

DRILL DATE: 1962/01/09TOWNSHIPRANGESECTIONELEVATION:

1,076FT

DRILL DEPTH: 190FT

24N

19W

27

DEPTH TO BED: 10FTUTM XUTM Y

496,905.26

4,066,068.15

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 83**LOG ID:****024762**WELL TYPE

Community Public Well

DRILL DATE: 1967/01/05TOWNSHIPRANGESECTIONELEVATION:

1,075FT

DRILL DEPTH: 1,000FT

24N

19W

27

DEPTH TO BED: 15FTUTM XUTM Y

497,002.26

4,066,131.15

ZONE 15

S.W.L. (BEFORE CASING): 287 FTREMARKS: formerly in name of Taneyville Water District #1S.W.L. (AFTER CASING): 315 FT**LOG ID:****025827**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1964//TOWNSHIPRANGESECTIONELEVATION:

750FT

DRILL DEPTH: 1,880FT

24N

20W

15

DEPTH TO BED:UTM XUTM Y

491,757.27

4,064,796.16

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: Jones Lease #TA-1S.W.L. (AFTER CASING):**LOG ID:****028253**WELL TYPE

Community Public Well

DRILL DATE: 1979/06/01TOWNSHIPRANGESECTIONELEVATION:

1,060FT

DRILL DEPTH: 720FT

24N

20W

18

DEPTH TO BED: 20FTUTM XUTM Y

487,499.27

4,064,467.17

ZONE 15

S.W.L. (BEFORE CASING): 340 FTREMARKS: Redrock on Hwy 160 - formerly in name of Venice on the Lake
Subdivision and Richard Scott SubdivisionS.W.L. (AFTER CASING): 350 FT



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**013891**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1955/08/03	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,232FT
<u>DRILL DEPTH:</u>	545FT	24N	20W	18	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	70FT				486,855.27	4,064,932.18
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	378	<u>REMARKS:</u>				

LOG ID:**019314**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1960/10/17	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	948FT
<u>DRILL DEPTH:</u>	400FT	24N	20W	20	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				488,895.27	4,063,304.17
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	260	<u>REMARKS:</u>	2 MI N OF FORSYTH AT JCT HWYS 76 & EE; EVERY 10-FT BELOW 60'			

LOG ID:**013892**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1955/08/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	950FT
<u>DRILL DEPTH:</u>	365FT	24N	20W	20	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	145FT				489,095.27	4,063,498.17
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	NO SAMPLES TO 145'.			

LOG ID:**011938**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1952/04/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	958FT
<u>DRILL DEPTH:</u>	500FT	24N	20W	20	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				489,247.27	4,063,273.17
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	165	<u>REMARKS:</u>	J.C. TAPPELLA			



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**011570**WELL TYPE

Private Well

DRILL DATE: 1950/09/ TOWNSHIP 24N RANGE 20W SECTION 20 ELEVATION: 877FT
DRILL DEPTH: 212FT UTM X 488,295.27 UTM Y 4,063,206.17
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 1/8 MI W OF HUDSONS STORE "UNABLE TO FIND"
S.W.L. (AFTER CASING):

LOG ID:**010878**WELL TYPE

Private Well

DRILL DATE: 1949/04/23 TOWNSHIP 24N RANGE 20W SECTION 25 ELEVATION: 920FT
DRILL DEPTH: 315FT UTM X 494,867.27 UTM Y 4,061,286.15
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 0.25 MI W OF JCT HWYS 76 AND 80
S.W.L. (AFTER CASING): 200

LOG ID:**027636**WELL TYPE

Private Well

DRILL DATE: 1971/01/25 TOWNSHIP 24N RANGE 20W SECTION 27 ELEVATION: 895FT
DRILL DEPTH: 365FT UTM X 492,670.27 UTM Y 4,062,294.16
DEPTH TO BED: 5FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 240

LOG ID:**027422**WELL TYPE

Community Public Well

DRILL DATE: 1973/10/10 TOWNSHIP 24N RANGE 20W SECTION 29 ELEVATION: 930FT
DRILL DEPTH: 1,020FT UTM X 488,864.28 UTM Y 4,061,648.17
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): 270 FT REMARKS:
S.W.L. (AFTER CASING): 300 FT



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**011625**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1951/08/28	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	995FT
<u>DRILL DEPTH:</u>	1,025FT	24N	20W	29		
<u>DEPTH TO BED:</u>	5FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	295				488,909.27	4,062,453.17
<u>S.W.L. (AFTER CASING):</u>					ZONE 15	
<u>REMARKS:</u>	formerly in name of C. Ray and Schultz Lookout Acres					

LOG ID:**014127**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1955/12/31	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	860FT
<u>DRILL DEPTH:</u>	990FT	24N	20W	32		
<u>DEPTH TO BED:</u>	10FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	275	FT			489,572.28	4,060,875.16
<u>S.W.L. (AFTER CASING):</u>	282	FT			ZONE 15	
<u>REMARKS:</u>						

LOG ID:**009247**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1946/07/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	946FT
<u>DRILL DEPTH:</u>	1,015FT	24N	20W	32		
<u>DEPTH TO BED:</u>	10FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>		FT			489,486.28	4,059,998.16
<u>S.W.L. (AFTER CASING):</u>	295				ZONE 15	
<u>REMARKS:</u>	formerly in name of Shepard of the Hills Well #2 - REX ALLAMAN					

LOG ID:**023824**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	675FT
<u>DRILL DEPTH:</u>	200FT	24N	20W	33		
<u>DEPTH TO BED:</u>	40FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>					490,678.28	4,059,497.16
<u>S.W.L. (AFTER CASING):</u>					ZONE 15	
<u>REMARKS:</u>	US Army Corps of Engineers; 1 mile E of Forsyth Dr, across from Swan Creek					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**010552**WELL TYPE

Outcrop Description

DRILL DATE: 1946/12/ TOWNSHIP 24N RANGE 20W SECTION 33 ELEVATION: 679FT
DRILL DEPTH: 255FT UTM X 490,378.27 UTM Y 4,060,191.16
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: HWY 76 WEST
S.W.L. (AFTER CASING):

LOG ID:**020514**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1961/08/29 TOWNSHIP 24N RANGE 20W SECTION 34 ELEVATION: 943FT
DRILL DEPTH: 455FT UTM X 491,890.27 UTM Y 4,060,693.16
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: C. Dodge
S.W.L. (AFTER CASING): 203

LOG ID:**025803**WELL TYPE

Community Public Well

DRILL DATE: TOWNSHIP 24N RANGE 20W SECTION 34 ELEVATION: 918FT
DRILL DEPTH: 970FT UTM X 491,539.27 UTM Y 4,060,184.16
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): 279 FT REMARKS: Old Forsyth
S.W.L. (AFTER CASING): 279 FT

LOG ID:**002962**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1934/09/ TOWNSHIP 24N RANGE 20W SECTION 34 ELEVATION: 785FT
DRILL DEPTH: 322FT UTM X 491,690.27 UTM Y 4,059,991.16
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): 165 FT REMARKS:
S.W.L. (AFTER CASING): 182 FT



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**024752**WELL TYPE

Private Well

DRILL DATE: 1966/11/28 TOWNSHIP 24N RANGE 20W SECTION 5 ELEVATION: 1,010FT
DRILL DEPTH: 200FT UTM X 489,097.27 UTM Y 4,069,231.17
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: LONG SECTION, 1.85 MI TO N LINE, 2.1 MI TO SOUTH LINE.
S.W.L. (AFTER CASING): 46

LOG ID:**028778**WELL TYPE

Private Well

DRILL DATE: 1976/10/15 TOWNSHIP 24N RANGE 21W SECTION 15 ELEVATION: 1,084FT
DRILL DEPTH: 238FT UTM X 482,276.27 UTM Y 4,069,890.20
DEPTH TO BED: 5FT ZONE 15
S.W.L. (BEFORE CASING): 185 REMARKS: UTMX = 482,089.6; UTM Y = 4,069,554.4
S.W.L. (AFTER CASING): FT

LOG ID:**015196**WELL TYPE

Private Well

DRILL DATE: 1956/05/20 TOWNSHIP 24N RANGE 21W SECTION 28 ELEVATION: 1,191FT
DRILL DEPTH: 500FT UTM X 480,414.28 UTM Y 4,066,899.21
DEPTH TO BED: 40FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 330

LOG ID:**019426**WELL TYPE

Private Well

DRILL DATE: 1960/12/29 TOWNSHIP 24N RANGE 21W SECTION 29 ELEVATION: 1,207FT
DRILL DEPTH: 480FT UTM X 479,305.28 UTM Y 4,067,445.21
DEPTH TO BED: 35FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 4 MI FROM HWY65 ON HWY 148
S.W.L. (AFTER CASING): 312



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
013797

WELL TYPE
Private Well

DRILL DATE: 1955/06/24

TOWNSHIP RANGE SECTION
24N 21W 29

ELEVATION: 1,097FT

DRILL DEPTH: 400FT

UTM X UTM Y

DEPTH TO BED: 20FT

480,109.28 4,067,037.21
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: APPROX 1.5 MI NW OF WALNUT SHADE

S.W.L. (AFTER CASING): 245

LOG ID:
026031

WELL TYPE
Private Well

DRILL DATE: 1968/03/

TOWNSHIP RANGE SECTION
24N 21W 35

ELEVATION: 1,047FT

DRILL DEPTH: 540FT

UTM X UTM Y

DEPTH TO BED: 360FT

483,997.28 4,064,817.19
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: OLD WELL DEEPENED 360-540'; NO PRODUCTION DATA;
MAINTENENCE SHED

S.W.L. (AFTER CASING):

TANEY